



Features

- An exceptional performing and seaworthy hull shape providing first in class stability and comfort
- Expansive outdoor living and entertaining spaces along with luxurious interior styling and amenities
- Plenty of sun coverage via fiberglass hardtop with 316 polished stainless steel supports on flybridge
- Direct bow access from starboard steps leading from flybridge down to bow area
- FUSION audio system with Bluetooth and 8 × Fusion Speakers and 4 Zone Sound Control
- C-Zone digital switching system for DC powered components
- Optional interior helm station for added comfort during inclement weather
- For overnighting, premium comforts are provided by one (1) full beam master cabin with ensuite head and two (2) guest cabins with ensuite heads


STANDARD FLYBRIDGE



STANDARD MAIN DECK



STANDARD 3 CABIN / 3 HEAD



SPECIFICATIONS

LENGTH: **14.36 M • 47' 2"**
OVERALL.

BEAM: **7.1 M • 23' 3"**

HEIGHT: **5.95 M • 19' 5"**
ABOVE WATERLINE WITH HARDTOP (EXCLUDING ELECTRONICS)

DRAFT: **1.24 M • 4' 1"**
WITH SACRIFICIAL KEEL INSTALLED.

LIGHT DISPLACEMENT:
20,739 KG • 45,722 LB

LOADED DISPLACEMENT:
26,287 KG • 57,953 LB

FOILS: **Optional**

ACCOMMODATIONS

SLEEPS UP TO: **10**

MAXIMUM PASSENGERS: **24**

CABINS: **3 • 4 • 5**

HEADS WITH SHOWERS:
3 • 4 • 5

TANKAGE

FUEL: **1,800 L • 476 GAL**

ADDITIONAL FUEL: **800 L • 211 GAL**
OPTIONAL.

WATER: **800 L • 211 GAL**

HOLDING: **240 L • 63 GAL**

PROPULSION

STANDARD:
2x D4 320 HP Volvo Penta

OPTIONAL:
2x D6 480 HP Volvo Penta

2x D6 380 HP Volvo Penta

2x 550 HP Yanmar

CE CERTIFICATION

A (OCEAN): **8**
B (OFFSHORE): **12**
C (COASTAL): **16**
D (INLAND): **24**

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

Construction

- Resin infused vinylester throughout the hull and deck
- Resin infused vinylester throughout the bulkhead and reinforcing (no plywood in structural components or below waterline)
- Core materials (PVC) vary in density dependent on loads
- Water tight bulkheads fore and aft (NPG)
- Bulbous bows separately molded and attached to each bow; breakaway safety
- Windows in hull and deck – tempered glass meeting ISO standards

Interior Layout

- Full beam master suite including vanity/desk, king size memory foam bed, separated fresh water toilet and shower area with two (2) x sinks
- 2 guest cabins with queen size beds, ensuite heads with electric flush freshwater toilet and enclosed walk in shower
- Large salon area with comfortable U-shaped seating and sofa area to starboard side
- Dedicated navigation and switch panel area to port
- Large U-shaped galley area with common household amenities and large tilt up window for bar area to port

Hull and Deck Features

- Opening deck hatches (7) carefully positioned to enhance ventilation in cabins
- Opening portlights installed in hull side windows (7) and forward salon windows (3)
  Deck railings in 316 stainless steel
- Ergonomic transom steps for easy boarding and comfortable lounging off stern
- PVC rub rail with 316 stainless steel insert offering all around protection
- Comfortable and protected bow seats integrated into deck railing (2)
- Foredeck seating with comfortable convertible cushions
- Foredeck sun pad area with integrated cushions
- Flush mounted size 60 hatches allowing access to port and starboard bow lockers x 2
- Deck hatches allowing access to anchor chain area and windlass
- Deck fill plates in 316 stainless steel (2 × water; 2 × fuel; 3 × waste)
- Stainless steel mooring cleats thru bolted (10 total)
- Well placed ergonomic handrails in 316 stainless steel ensuring secure movement onboard
- Forward access steps from flybridge to bow with 316 polished stainless steel support and safety rail
- LED navigation lights, running lights, and anchoring light
- Engine ventilation intakes with FRP cowling cover
- Custom stainless steel retractable swim ladder with teak steps located in large aft deck hatch
- Aft cockpit, flybridge, and side decks all self draining
- Equipped with a deck hatch for main engine maintenance and an additional small hatch for easy daily maintenance.
- Aft cockpit with heavy duty stainless steel sliding door with flip up bar counter window
- Fixed aft cockpit table with stainless steel supports comfortably seating four (4)
- Aft cockpit settee seating with storage underneath
- LED deck courtesy lights located at transom, cockpit, and flybridge
- Bonded in tempered glass windows – hull side and super structure



Aft Deck & Cockpit

- Sliding glass door, lockable with threshold – entrance to salon
- Bar area with two (2) 316 stainless steel bar stools and large hinged window to open up to galley area
- Engine room access from deck hatches
- LED Flood Lights to light up aft transom and dinghy lift area (2)
- Marine waterproof 6.5" Fusion speakers (2)
- Structural polished stainless steel supports (2)
- Handrails in 316 stainless steel
- LED courtesy lighting in cockpit and transom steps
- LED overhead lighting
- Seating across width of cockpit area
- Stainless rotating safety gates to port and starboard side (stainless steel and acrylic)
- Self draining cockpit area
- Slide out stainless steel swim ladder with teak steps
- Large storage lockers located on port and starboard side
- Expansive fixed aft fiberglass platform extending from port to starboard
- Pull out shower – hot/cold

Flybridge

- Expansive fiberglass hard top with stainless support structure
- Forward flybridge access via forward starboard bow steps with built in stainless steel handrail for safety
- Spacious comfortable convertible helm seat for three (3) people with upholstered seat and flip down bolsters
- Comfortable forward facing seat/lounger on port and starboard side adjacent to helm station
- Manual opening overhead hatches in hard top allowing airflow to captain (2)

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

- Volvo Penta 7" engine data color display at flybridge helm
- Volvo Penta dual engine throttle control
- Electric fly by wire steering system
- Marine waterproof 6.5" Fusion speakers (4)
- Main access from aft cockpit molded fiberglass steps
- Handrails conveniently located all around flybridge for secure movement
- Stainless steel framed acrylic windshield
- Compass at helm station
- Variable position stainless steel Aquila branded steering wheel
- L-Shaped settee area with fixed table and fold down extensions – comfortably seating six (6) people
- Upholstered aft flybridge sun lounger cushions and backrests
- Wet bar located aft starboard deck area incorporating Corian work surface and sink with hot and cold faucet (location for optional BBQ)
- Storage area under wet bar with four (4) access doors
- Life jacket and safety gear storage area under port side L-Shaped settee seating area
- Designated life raft storage under aft sun lounger cushion
- Cup holders located in various areas around flybridge
- LED overhead mood lighting in hardtop ceiling
- LED courtesy lighting
- Stainless rotating safety gate at fly to bow access (stainless steel and acrylic)



Engine Room

- Automatic fire suppression heat activated system with alarm monitors at helm station
- Diesel fuel system with water separation filters
- Dedicated aluminum fuel tanks for each engine with safety shut off valves and level monitors
- Engine room insulation – flame retardant polyurethane foam covered with metalized polyester film
- LED lighting – two (2) each engine room
- Fly by wire steering
- Automatic bilge pump in each engine room with warning light at helm and nav station
- Excellent all around engine and systems access for ease of maintenance
- Aluminum fuel tanks in each engine room 900L/238 Gal – total of 1,800L/476 Gal
- One way fuel pump (1) to transfer fuel from port to starboard fuel tanks

Underwater Gear

- Straight drive shaft transmission
- Propellor tunnels for reduced draft and maximum efficiency
- Bronze propellors
- Machined stainless steel propellor shafts with rope cutter installed on each shaft
- Rudders and tiller arm in 316L stainless steel with fiberglass tube
- Shut off valves on all salt water intakes in engine rooms
- Sea water strainers with transparent lid
- Watertight self aligning dripless shaft seal with 316 stainless steel housing
- Bronze P-Bracket for propeller
- Sacrificial skeg forward of drive for added running gear protection

Mooring System

- Electric anchor windlass (24v-1500w) with wired control
- Stainless steel anchor roller
- Primary anchor – 70 lbs galvanized
- Galvanized anchor chain (3/8" with 150 ft length) and bridle system
- Fiberglass deck hatch to self draining locker
- Antifouling paint (black) applied to underside of hull surface up to waterline (does not include running gear)
- Mooring kit – Includes 6 × fenders and 6 × mooring lines

Salon

- Laminate finished cabinetry with solid wood capping throughout with accented wall and ceiling coverings
- Shatter-proof windows with external overhangs offers excellent visibility and reduce sunlight
- Flush mount 7.7" 200w overhead speakers in ceiling panels (2)
- Tempered glass, sliding door providing access to cockpit
- Blinds covering port and starboard side windows
- Upholstered panel ceilings with decorative wood trim and LED accent lighting
- Dedicated navigation and switch panel station to port with C-Zone display
- Settee seating U-Shape around salon table comfortably seats 8 people
- Large salon table mounted on fixed stainless steel pedestal
- Cushions covered with soft easy to clean upholstery
- Port light hatches installed on forward facing windows providing additional ventilation (2)
- Designated area for concealed drop down ceiling mounted TV
- Overhead LED ceiling lights, LED mood lighting, and LED courtesy lighting
- LED courtesy floor lighting
- Electrical outlets located throughout area
- Access hatch to main house batteries and charging/

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

inverter systems
- Synthetic wear resistant flooring offering maintenance free natural wood look
- Central walkway access to forward master cabin and port/starboard guest cabins
- 316 stainless steel handrail in salon and galley wrapped in leather

Galley
- Induction electrical cooktop (2 burner)
- Refrigerator/freezer – full sized
- All countertops with Corian natural stone finish
- Dedicated microwave storage location with outlet
- Large single stainless steel sink with Corian cover and faucet
- Shatter-proof windows with external overhangs offers excellent visibility and reduce sunlight
- Flush mounted 7.7" 200w overhead speakers in ceiling panels (2)
- Built in slide out garbage bin under sink
- Hinged stainless steel bar window with flip down Corian countertop
- Storage cupboards & drawers offering ample storage for all galley accessories
- Overhead LED ceiling lights as well as mood lighting
- Electrical outlets located throughout area
- Synthetic wear resistant flooring offering maintenance free natural wood look

Owner's Cabin (Full Beam)
- Laminate finished cabinetry throughout with accented wall and ceiling coverings
- Private access door to cabin for privacy
- A/C vents with aircon display/controller (option)
- Power sockets with single USB outlet located next to bed (2)
- Opening ventilation hatch in ceiling with concealed blinds (1)
- Bedside cabinets with pull out drawers
- LED reading lights port and starboard of bed above bed side cabinets (2)
- Designated area for flat screen TV and sound bar
- Port and starboard deck and hull side windows with blinds
- Expansive side facing windows offering 180 degree view to outside
- Additional storage under cabin mattress
- Memory foam mattress
- Cabin mattress size: L=79" (201cm) x W=69" (175cm)
- Dressing and desk/vanity area on stbd side including (only available for 3 cabin version):
  - Built in vanity with hinged top with mirror and light inside
  - Storage cabinets under countertop
  - Hull side window with blinds
  - Power outlets
  - Closet with clothes hanging area
  - Storage cabinets on inboard side area
  - Full length mirror with upholstered frame
  - Comfortable chair
- Bathroom area to port side including:
  - Hull side window with blinds
  - Bathroom vanity with two (2) sinks and faucets
  - GFCI protected outlets at sinks (2)
  - Toothbrush and towel holders
  - Corian countertops
  - Overhead cabinetry for storage
  - Storage cabinets under countertop
  - Walk in fresh water electric flushing toilet with privacy door
  - Full size walk in shower with overhead rain shower head
  - Storage cabinets on the inboard side of the sink area
  - Opening ventilation hatch in toilet area with blinds

VIP Cabins (Port & Starboard Sides)
- Laminate finished cabinetry with solid wood capping throughout with accented wall and ceiling coverings
- Private access door to cabin for privacy
- A/C vents with aircon display/controller in each cabin (option)
- Power sockets with single USB outlet located next to bed (2)
- Bedside cabinets
- Clothes hanger closet
- Large hull side window with blinds
- Overhead LED ceiling lights and mood lighting
- LED reading lights on port and starboard of bed above bed side cabinets (2)
- Additional storage under cabin mattress
- Memory foam mattresses
- Cabin mattress size: L=79" (201cm) x W=57" (145cm)
- Bathroom area including:
  - Fresh water electric flushing toilet
  - Walk in shower with separation door
  - Single vanity with sink and faucet
  - GFCI protected outlet
  - Toothbrush and towel holder
  - Corian countertops
  - Synthetic wear resistant flooring offering maintenance free natural wood look
  - Mirror

Navigation/Switch Panel Area
- Upholstered navigation work surface for charts and books with locker
- C-Zone 7" digital DC switching control screen with manual transfer switches for electrical systems
- Dedicated service panel for optional generator, watermaker, and aircon display/control panels
- Multi zone entertainment system master unit offering 4 zone control
- Light switch panel controlling all salon, galley, and aft cockpit lighting
- Remote battery switch controls for all onboard batteries

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

Water & Bilge System

- Fresh water pressure pump with accumulator tank offering equal water pressure throughout
- Two (2) 60 L / 15.9 Gal water heaters
- Two (2) 400 L / 106 Gal connected water tanks
- Transom pull out shower mixer (hot/cold)
- Water tank levels monitored through C-Zone system
- Four (4) automatic bilge pumps

Waste System


- Grey water from showers and sinks in cabins collected in sealed sump boxes with auto discharge overboard
- Three (3) 80 L / 21 Gal black water tanks with sea discharge pumps and dockside pump out
- Black water levels monitored through C-Zone system

Electrical System


- C-Zone digital DC controls switching system
- Main house battery charger/inverter: MasterVolt Mass Combi Pro 24/3500-100 (1)
- Main engine battery chargers: MasterVolt EasyCharge 6A (2)
- Water heaters x 2 @ 60 L (16 Gal) each
- Master control panel for 24v and shore power service
- Remote battery master switches at panel
- Shore side electrical system
- AC Power supplied by two (2) 50 Amp 125/250v shore power cables
- Galvanic isolator protector system
- Shore power overcurrent protection breakers
- House batteries = four (4) 200 A/h AGM
- Engine start batteries = two (2) x 180 A/h AGM

Optional Configuration


OPTIONAL 3 CABIN / 4 HEAD




OPTIONAL 4 CABIN / 4 HEAD



OPTIONAL 5 CABIN / 5 HEAD



OPTIONAL MAIN DECK W/INTERIOR HELM



All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.